

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
. 10/610,486	06/30/2003	Eric J. Horvitz	MS303530.1 / MSFTP471US	5347
27195 7590 01/14/2008 AMIN. TUROCY & CALVIN, LLP 24TH FLOOR, NATIONAL CITY CENTER			EXAMINER	
			ADDY, THJUAN KNOWLIN	
1900 EAST NINTH STREET CLEVELAND, OH 44114			ART UNIT	PAPER NUMBER
	,	(	2614	
			NOTIFICATION DATE	DELIVERY MODE
			01/14/2008	ELECTRONIC

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docketl@thepatentattorneys.com hholmes@thepatentattorneys.com osteuball@thepatentattorneys.com

	Application No.	Applicant(s)				
	10/610,486	HORVITZ ET AL.				
Office Action Summary	Examiner	Art Unit				
	Thjuan K. Addy	2614				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	I.  lely filed  the mailing date of this communication.  D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 30 C	October 2007					
<u> </u>						
<u> </u>	,					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-36</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-36</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/c	8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	er.					
10)⊠ The drawing(s) filed on <u>21 December 2006</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
·						
Attachment(s)						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) Other:						

#### **DETAILED ACTION**

### Response to Amendment

- 1. Applicant's amendment filed on October 30, 2007 has been entered. No claims have been amended. No claims have been cancelled. No claims have been added. Claims 1-36 are still pending in this application, with claims 1, 19, and 20 being independent.
- 2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/30/2007 has been entered.

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-10 and 12-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Joseph et al. (US 6,807,274), in view of Bala (US 6,798,876), and further in view of Holt (US 5,896,448).
- 4. In regards to claims 1 and 18, Joseph discloses an automated call routing system (See Abstract and col. 2 lines 23-31) and computer readable medium, comprising: an automated call routing component to route an incoming call to a member (e.g., customer service representative) of an organization (e.g., call center) and provide automated response (e.g., automated dialog) to one or more callers (e.g., customer) (See Abstract and col. 2 lines 23-31); and a decision (e.g., routing decision) model associated with the automated call routing component to mitigate transferring the calls to an operator (e.g., live service representative) (See col. 2 lines 23-35). Joseph, however, does not disclose a decision model, associated with the automated call routing component, that employs probability to determine likelihood of success in automatically routing the incoming call, the likelihood of success determined based on a sequence of system actions associated with the incoming call, to mitigate transferring the calls to an operator. Bala, however, does disclose a decision model (See Fig. 1 and statistical modeling software/module 135), associated with the automated call routing

component (See Fig. 1 and PBX/ACD 130), that employs probability to determine likelihood of success in automatically routing the incoming call (See col. 3 lines 51-61). the likelihood of success determined based on a sequence of system actions (e.g., list of question presented to the caller prior to routing the call and/or prompting the caller to identify the product or service that is needed) associated with the incoming call, to mitigate transferring the calls to an operator (See Fig. 1 and attendant/customer service representative 180 and 181) (See col. 2 lines 24-33, col. 2-3 lines 66-13, and col. 4 lines 26-33). Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention to incorporate this feature within the system, as a way of specifically routing a call based on the need of the caller and the profile of the call center representative, thus providing a more accurate and user friendly call routing environment. However, Joseph, nor Bala, disclose the likelihood of success determined based in part on a sequence of system actions associated with the incoming call and is re-determined after the occurrence of each system action, to mitigate transferring the incoming call to an operator. Holt, however, does disclose the likelihood of success (See col. 5 lines 20-33) determined based in part on a sequence of system actions (for example, the sequence of system actions may simply be the sequential dialing of each destination number within the routing list, See col. 3-4 lines 65-6) associated with the incoming call and is re-determined (e.g., updated) after the occurrence of each system action (for example, the likelihood of success of reaching each destination number is updated after each destination is dialed), to mitigate transferring the incoming call to an operator (e.g., subscriber) (See col. 4 lines 27-46 and col. 7-8 lines 64-10). Therefore, it

Art Unit: 2614

would have been obvious for one of ordinary skill in the art at the time of the invention, to incorporate these features within the system, as a way of providing a method to update dynamically the order that a list of numbers is called in order to successfully route calls to a subscriber within the communication system.

- 5. In regards to claims 2 and 6, Joseph discloses the system, further comprising a speech recognition component (e.g., Interactive Voice Response (IVR) system) for communicating with the callers (See col. 2 lines 14-22).
- 6. In regards to claim 3, Joseph discloses all of claim 3 limitations, except the system, the decision model is trained from a data log that has recorded data of past activities and interactions with the automated call routing component. Bala, however, does disclose the decision model is trained from a data log that has recorded data of past activities and interactions with the automated call routing component (See col. 3 lines 24-29 and col. 4 lines 36-61).
- 7. In regards to claim 4, Joseph discloses all of claim 4 limitations, except the system, the data log contains data relating to at least one of a Speaker Found, a Speaker Not Found, an OperatorRequest, a Help Request, a Hang Up, a Maximum number of Errors, a Not Ready indication, and an Undefined category. Bala, however, does disclose the data log contains data relating to at least one of a Speaker Found, a Speaker Not Found, an OperatorRequest, a Help Request, a Hang Up, a Maximum number of Errors, a Not Ready indication, and an Undefined category, or a combination thereof (See col. 3 lines 24-29 and col. 4 lines 40-48).

- 8. In regards to claim 5, Joseph discloses the system, the decision model processes one or more dialog features including at least one of system and user actions, session summary feature, n-best recognitions features, and generalized temporal features, or a combination thereof (See Abstract and col. 2 lines 14-22).
- 9. In regards to claim 7, Joseph discloses all of claim 7 limitations, except the system, the decision model employs a probability tree to determine the likelihood of success in automatically routing the incoming call given a sequence of system actions. Bala, however, does disclose the decision model employs a probability tree to determine the likelihood of success in automatically routing the incoming call given a sequence of system actions (See col. 2 lines 24-33, col. 2-3 lines 66-13, col. 3 lines 51-61, and col. 4 lines 26-33).
- 10. In regards to claim 8, Joseph disclose all of claim 8 limitations, except the system, the decision model determines the likelihood of success based on p(SpeakFoundIE), wherein SpeakFound is the member, E is observational evidence of system actions taken, and p is a probability, in part by counting a number of logged cases along an action sequence that resulted in success over a total number of cases along the sequences. Although, Bala, does not specifically disclose the decision model determines the likelihood of success based on p(SpeakFoundIE), wherein SpeakFound is the member, E is observational evidence of system actions taken, and p is a probability..., Bala does disclose the decision model determines the likelihood of success based in part by counting a number of logged cases along an action sequence that resulted in success over a total number of cases along the sequences (See col. 3

Art Unit: 2614

lines 24-29, col. 4 lines 40-48, and col. 4 lines 58-61). Holt, also discloses determining the likelihood of success based on a success counter and a failure counter, which indicate the probability of successfully routing the call to a particular destination number (See col. 4 lines 27-38).

- 11. In regards to claims 9 and 10, Joseph discloses the system, the decision model employs a dependency network that processes one or more categories of dialog (e.g., questions/queries) features as input variables (See col. 2-3 lines 44-5).
- 12. In regards to claim 12, Joseph discloses the system, further comprising a component to increase an amount of data in order to boost a partial model for dialog turns over a marginal model (See col. 2 lines 23-31 and col. 3-4 lines 66-16).
- 13. In regards to claims 13, 24, 32, and 33, Joseph discloses the system and method, the decision model includes at least one probabilistic model to perform at least one dynamic decision associated with costs and benefits of shifting a caller to human operator (See col. 1 lines 45-53).
- 14. In regards to claims 14 and 35, Joseph discloses the system and method, the at least one probabilistic model provides at least one prediction about an outcome to enable administrators of automated call routing systems to specify preferences regarding the transfer of callers to a human operator (See col. 3-4 lines 66-16).
- 15. In regards to claims 15, 16, 21, and 34, Joseph discloses the system and method, the preferences are represented as a tolerated threshold on failure as a function of a current expected time that callers have to wait for a human operator, given a current load on operators (See col. 3 lines 14-27 and col. 3 lines 39-57).

Art Unit: 2614

- 16. In regards to claims 17 and 25, Joseph discloses the system and method, the queue is optimized based on queue-theoretic formulation (See col. 4 lines 9-16).
- 17. In regards to claim 19, Joseph discloses a system that facilitates call routing, comprising: means for interacting with a caller (e.g., customer) making a call to a user (e.g., customer service representative); means for automatically directing the caller to the user; and means for performing a decision theoretic analysis before directing the caller to the user (See Abstract and col. 2 lines 23-35), the decision-theoretic includes a cost-benefit analysis weighing the benefits of transferring the caller to an operator (See col. 1 lines 45-53). Joseph, however, does not disclose means for determining probability of success in automatically directing the caller to the user, the probability of success determined based in part on a sequence of system actions associated with the call. Bala, however, does disclose means for determining probability of success in automatically directing the caller (See Fig. 1 and caller 101) to the user (See Fig. 1 and attendant/customer service representative 180 and 181), the probability of success determined based in part on a sequence of system actions (e.g., list of question presented to the caller prior to routing the call and/or prompting the caller to identify the product or service that is needed) associated with the call (See col. 2 lines 24-33, col. 2-3 lines 66-13, and col. 4 lines 26-33). However, Joseph, nor Bala disclose, the probability of success is re-determined after each system action. Holt, however, does disclose the probability of success is re-determined (e.g., updated) after each system action (for example, the likelihood of success of reaching each destination number is

Art Unit: 2614

updated after each destination is dialed) (See col. col. 4 lines 27-46 and col. 7-8 lines 64-10).

18. In regards to claim 20, Joseph disclose a method for automatically routing calls, comprising: determining a utility model for employment with a call routing system; and automatically directing the call to at least one of the organization member (e.g., customer service representative) or an operator (See Abstract and col. 2 lines 23-35). Joseph, however, does not disclose training the utility model from a log of past system. call activities; employing probability to determine likelihood of success in automatically directing a call an organization member, the likelihood of success determined based in part on a sequence of system actions associated with the call; and automatically directing the call to at least one of the organization member or an operator, based in part on the likelihood of success. Bala, however, does disclose training the utility model from a log of past system call activities; employing probability to determine likelihood of success in automatically directing a call an organization member, the likelihood of success determined based in part on a sequence of system actions (e.g., list of question presented to the caller prior to routing the call and/or prompting the caller to identify the product or service that is needed) associated with the call; and automatically directing the call to at least one of the organization member or an operator, based in part on the likelihood of success (See col. 2 lines 24-33, col. 2-3 lines 66-13, col. 4 lines 26-33, col. 4 lines 40-48, and col. 4 lines 58-61). However, Joseph, nor Bala, disclose the likelihood of success determined based in part on a sequence of system actions associated with the call and is re-determined after the occurrence of each system

Art Unit: 2614

action. Holt, however, does disclose the likelihood of success determined based in part on a sequence of system actions (for example, the sequence of system actions may simply be the sequential dialing of each destination number within the routing list, See col. 3-4 lines 65-6) associated with the call and is re-determined (e.g., updated) after the occurrence of each system action (for example, the likelihood of success of reaching each destination number is updated after each destination is dialed) (See col. 4 lines 27-46 and col. 7-8 lines 64-10).

- 19. In regards to claims 22, 23, and 26, Joseph discloses the method, further comprising processing user frustrations (See col. 1 lines 55-61).
- 20. In regards to claims 27-31, Joseph discloses all of claims 27-31 limitations, except the specific formulas recited in claims 27-31. Joseph, however, does disclose formulas (See col. 4 lines 8-16 and col. 4 lines 35-58) that produce the same results that the present invention is attempting to obtain, in claims 27-31. Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention to incorporate the use of these formulas within the system, as a way of calculating the "wait" time that a call is expected to be held in queue before being answered by a customer service representative.
- 21. In regards to claim 36, Joseph discloses the method, supporting an application including at least one of touch-tone and speech recognition (See col. 2 lines 20-22).

Art Unit: 2614

- 22. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Joseph et al (US 6,807, 274), in view of Bala (US 6,798,876), in view of Holt (US 5,896,448), and further in view of Chittineni (US 4,747,054).
- 23. In regards to claim 11, Joseph, Bala, and Holt disclose all of claim 11 limitations, except the system, the decision model employs a Markov Dependency network.

  Chittineni, however, does disclose the use of a Markov Dependency network (See col. 16 lines 16-25). Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention to incorporate this decision model within the system, as a way of modeling dependencies of errors of equations, such as the equations/formulas used to calculate the "wait" time that a call is expected to be held in queue before being answered by a customer service representative.

### Response to Arguments

- 24. Applicant's arguments filed 10/30/2007 have been fully considered but they are not persuasive.
- 25. Applicants argue that Joseph et al, does not disclose a likelihood of success that is re-determined after a system action associated with the call. Applicants further argue that unlike the claimed subject matter, Bala is silent with respect to determination of a likelihood of success in automatically routing an incoming call, where the likelihood of success is based on a sequence of system actions associated with the call, and Bala fails to teach or suggest re-evaluating the likelihood of success in automatically routing an incoming call after the occurrence of each system action. Applicants also state that

Holt fails to teach re-determination of the likelihood of success in automatically routing the incoming call, after the occurrence of each system action, to mitigate transferring the incoming call to an operator.

- 26. In response to Applicants' argument that Joseph et al., does not disclose a likelihood of success that is re-determined after a system action associated with the call, Examiner will not address this argument, due to the fact that Joseph et al. was not used to disclose this limitation.
- 27. In response to Applicants' argument that unlike the claimed subject matter, Bala is silent with respect to determination of a likelihood of success in automatically routing an incoming call, where the likelihood of success is based on a sequence of system actions associated with the call, Examiner respectfully disagrees. Bala discloses a decision model (See Fig. 1 and statistical modeling software/module 135), associated with the automated call routing component (See Fig. 1 and PBX/ACD 130), that employs probability to determine likelihood of success in automatically routing the incoming call (See col. 3 lines 51-61), the likelihood of success determined based on a sequence of system actions (e.g., list of question presented to the caller prior to routing the call and/or prompting the caller to identify the product or service that is needed) associated with the incoming call, to mitigate transferring the calls to an operator (See Fig. 1 and attendant/customer service representative 180 and 181) (See col. 2 lines 24-33, col. 2-3 lines 66-13, and col. 4 lines 26-33). In response to Applicants' argument that Bala fails to teach or suggest re-evaluating the likelihood of success in automatically routing an incoming call after the occurrence of each system action.

Art Unit: 2614

Examiner will not address this argument, due to the fact that Bala was not used to disclose this limitation.

28. In response to Applicants' argument that Holt fails to teach re-determination of the likelihood of success in automatically routing the incoming call, after the occurrence of each system action, to mitigate transferring the incoming call to an operator, Examiner respectfully disagrees. Holt discloses the likelihood of success (See col. 5 lines 20-33) determined based in part on a sequence of system actions (for example, the sequence of system actions may simply be the sequential dialing of each destination number within the routing list, See col. 3-4 lines 65-6) associated with the incoming call and is re-determined (e.g., updated) after the occurrence of each system action (for example, the likelihood of success of reaching each destination number is updated after each destination is dialed), to mitigate transferring the incoming call to an operator (e.g., subscriber) (See col. 4 lines 27-46 and col. 7-8 lines 64-10).

#### Conclusion

- 29. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thjuan K. Addy whose telephone number is (571) 272-7486. The examiner can normally be reached on Mon-Fri 8:30-5:00pm.
- 30. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ahmad Matar can be reached on (571) 272-7488. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

31. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thjuan K. Addy Patent Examiner

AU 2614